

The client sample was analyzed for plant-based cannabinoids by Liquid Chromatography (LC). The collected data was compared to data collected for certified reference standards at known concentrations.

105039-CN					
ID	Weight %	Concentration (mg/capsule)			
∆9- THC	0.0476	0.269			
THCV	ND	ND			
CBD	1.91	10.8			
CBDV	0.0180	0.102			
CBG	0.0449	0.253			
CBC	0.0953	0.538			
CBN	<loq< td=""><td><loq< td=""><td></td><td></td><td></td></loq<></td></loq<>	<loq< td=""><td></td><td></td><td></td></loq<>			
THCA	ND	ND			
CBDA	0.107	0.605			
CBGA	ND	ND			
CBDVA	ND	ND			
∆8-THC	ND	ND			
exo-THC	ND	ND			
Total	2.23	12.6	0%	Cannabinoids (wt%)	1.91%
Max THC	0.0476	0.269	Limit of Quantitation (LOQ) = 0.0136 wt%		
Max CBD	2.01	11.3		Limit of Detection $(LOD) = 0$	0.0045 wt%
Ratio of Total CI	3D to THC 42.2:1				
	1 1 . 1 1 1	11 6 1	1 . 1	1 1 6 1	

Max THC (and Max CBD) are calculated values for total cannabinoids after heating, assuming complete decarboxylation of the acid to the neutral form. It is calculated based on the weight loss of the acid group during decarboxylation: MAX THC = $(0.877 \times THCA) + THC$. This calculation does not include other cannabinoid isomers (eg. D8-THC and exo-THC). ND=None detected above the limits of detection (LOD), which is one third of Limit of Quantification (LOQ). For values reported as "<LOQ", the estimated value is included in the calculated Total.

END OF REPORT

420 Fortune Blvd • Milford, MA 01757 • 617-221-3356 www.ProVerdeLabs.com